

* ALL PRICES ARE GST EXCLUSIVE *



PRESS WHEELS

TANDEM



- Base level press wheels mounted as a trailing gang
- Multiple axle spacing's (up to 14")
- Adjustable down pressure
- Forward mounted lateral pivot provides improved press wheel tracking
- Able to be pinned up when not in use

SINGLE



- Self tracking with adjustable down pressure
- Horizontal & vertical pivots equipped with hard wearing self lubricating nylon bushes
- Holden hubs & bearings
- Easily mounted on 75mm beam with single U bolt for quick & precise tyne alignment
- Used in conjunction with mounting arms to form a gang
- Pins up when not required or in transport

IN FRAME



- Precise , consistent and adjustable seed depth
- Adjustable lateral, fore and aft seed tube position allows for soil flow back into furrow
- Multiple seed boot options
- Telescopic arm allows for tyne breakout clearance
- Adjustable down pressure
- Adjustable pivot stops to personalize pivot function
- Mounts either side of tyne



MOOSE
INDUSTRIES


PRESS WHEELS

Clem N Tyne Parallelogram



- Pivot point is directly in line with Knife point/tyne
- Press wheel and seed boot independent of tyne
- Adjustable spring tensioned seed boot
- Various seed boot options
- Precise, consistent & adjustable seed depth
- Adjustable down pressure
- Adjustable pivot stops to personalize pivot function
- Mounts to existing machinery

Mounting Arms



- Standard, heavy duty & floating options
- Originally designed to work in conjunction with the MI single press wheels to form press wheel gangs
- Simple U bolt mounting system
- Parallel arm movement keeps press wheels level within complete range of adjustment
- Increase or decrease pressure on press wheel gangs in seconds
- Completely raise press wheel gangs quickly when not in use

Accessories/Options



- Press wheel mounting extensions to eliminate clashing on narrow spacing's
- Various wheel sizes and tyre profiles
- Over caps to prevent damage to dust caps



MOOSE
INDUSTRIES

COULTERS

Single



- Pins up when not required or in transport
- Adjustable height mounting post
- Holden hubs and bearings
- Multiple axle spacing's available

Double



- Adjustable down pressure
- Multiple disc styles available to suit your needs
- Single & double



MOOSE
INDUSTRIES

OTHER PRODUCTS

Field bins



- Up to 50 tonne
- Open or closed top options
- Ratcheting wheel lift kits
- Tow hitch lifts with wheel operation for easy connection

Delving



- New units
- Repairs/modifications to existing units

Tailgate chutes



- Remote controlled or manual operation
- Single, double, triple or side by side units
- Square to round & side chute adaptors
- Various electrical options: spotlights, warning lights, etc.

Comb Trailers



- Custom built to suit your needs
- Storage box options